

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	15	(380/37).ccls. and (cryptograph\$ with engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L4	198	(cryptograph\$ with engine) and cpu and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:38
L5	146	(cryptograph\$ with engine) and cpu and bus and key and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L6	210	(cryptograph\$ with (engine or accelerat\$)) and cpu and bus and key and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L7	240	(cryptograph\$ with (engine or accelerat\$)) and cpu and bus and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L8	397	(380/37).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L9	3	l7 and l8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L10	18	(380/37).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L11	200	("380"/\$).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L12	328	("713"/\$).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:43

L13	134	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:43
L14	134	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:43
L15	118	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:44
L16	80	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:44
L17	80	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:44
L18	66	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L19	62	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY) AND (ENCRYPT\$ AND DECRYPT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L20	12	L19 and ("380"/\$).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L21	62	L19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L22	121	(cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:46

L23	24	(cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY) and ("380"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:46
L24	66	(cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY) and ("713"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:50
L25	397	(380/37).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:50
L26	18	(380/37).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:51
L27	17	(380/37).ccls. and (cryptograph\$ with (engine or accelerator and unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:51
L29	29952	(state with machine) and (logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L30	29	I29 and I25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L31	26	I29 and I25 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L32	17	I29 and I25 and key and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L33	15	I29 and I25 and key and bus and (encrypt\$ or decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:57

L34	13	I29 and I25 and key and bus and (encrypt\$ or decrypt\$) and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:57
L35	12	(ARCFOUR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:58
L36	1272	(ARCFOUR OR RC4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:58
L37	256	(ARCFOUR OR RC4) with algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:59
L38	12	I37 and I25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:59
L40	3	I30 and I38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 18:00

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	15	(380/37).ccls. and (cryptograph\$ with engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L4	198	(cryptograph\$ with engine) and cpu and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:38
L5	146	(cryptograph\$ with engine) and cpu and bus and key and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L6	210	(cryptograph\$ with (engine or accelerat\$)) and cpu and bus and key and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L7	240	(cryptograph\$ with (engine or accelerat\$)) and cpu and bus and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L8	397	(380/37).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:41
L9	3	l7 and l8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L10	18	(380/37).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L11	200	("380"/\$).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:42
L12	328	("713"/\$).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:43

L13	134	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:43
L14	134	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:43
L15	118	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:44
L16	80	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:44
L17	80	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:44
L18	66	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L19	62	("713"/\$).cccls. and (cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY) AND (ENCRYPT\$ AND DECRYPT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L20	12	L19 and ("380"/\$).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L21	62	L19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:45
L22	121	(cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:46

L23	24	(cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY) and ("380"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:46
L24	66	(cryptograph\$ with (engine or accelerator)) and (system with bus) and (system with memory) AND CPU AND (KEY) and ("713"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:50
L25	397	(380/37).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:50
L26	18	(380/37).ccls. and (cryptograph\$ with (engine or accelerator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:51
L27	17	(380/37).ccls. and (cryptograph\$ with (engine or accelerator and unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:51
L29	29952	(state with machine) and (logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L30	29	I29 and I25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L31	26	I29 and I25 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L32	17	I29 and I25 and key and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:56
L33	15	I29 and I25 and key and bus and (encrypt\$ or decrypt\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:57

L34	13	I29 and I25 and key and bus and (encrypt\$ or decrypt\$) and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:57
L35	12	(ARCFOUR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:58
L36	1272	(ARCFOUR OR RC4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:58
L37	256	(ARCFOUR OR RC4) with algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:59
L38	12	I37 and I25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 17:59
L40	3	I30 and I38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 18:00